


CERTIFICATE OF ANALYSIS

Product: Metanol PA 3X5L (1124)
Batch Number: 6092017
Date of Manufacture: 2018-04-11
Used Before: 2020-03-31

Analysis	Method	Specification	Results	Unit
Methanol content	GC	≥99,85	>99,85	% w/w
Water content	ASTM E 203	≤0,1	<0,1	% w/w
Density (20 °C)		0,790-0,794	Confirms	g/cm ³
Refractive index (20 °C)		1,328-1,331	Confirms	
Colour (Hazen)	ASTM D 1209	≤ 10	≤ 10	
Flash Point	ASTM D 56	11	11	°C
Distillation range	ASTM D 1078	1,5 °C (including 64,6 °C)	Confirms	
Non-volatile matters	ASTM D 1353	≤ 8	≤ 8	mg/L
Acidity (As acetic acid)	ASTM D 1613	≤ 30	≤ 30	ppm
Permanganate time (15 °C)		> 50	> 50	Minutes
Carbonizables (Sulfuric acid wash test)	ASTM E 346	≤ 50	≤ 50	Pt-Co scale
Hydrocarbons	ASTM D 1722	Passes the test	Confirms	-
Acetone content	AC	≤ 30	≤ 30	ppm
Aldehyde	IMPCA 001-14	≤ 10	< 10	mg/kg
Free alkali (as NH ₃)	IUPAC	≤ 0,8	< 0,8	ppm

Solveco AB
 Stockholm 2018-04-16


 Peter Lundgren